




MOJO BARRIERS • BAR BARRIERS

Bar Barrier & Vario Corner

Recycled barrier for serving areas

MOJO BARRIERS — PRODUCT DATA SHEET

Bar Barrier & Vario Corner

Serving areas need a stable front that is easy to clean. The Bar Barrier provides it in recycled plastic with a stainless steel top, and the hinged Vario Corner follows angled layouts. Neither is for crowd control.

LMDPE
RECYCLED

stainless
SERVING SURFACE

-60° to +90°
VARIO ANGLE

black
RENTAL COLOUR

01

BAR BARRIER

The Bar Barrier is made of recycled LMDPE, a low to medium density polyethylene, and is flexible, strong, durable, light and portable. As on the aluminium barrier, a vertical LMDPE part locks into a horizontal LMDPE floor plate, with two stainless steel braces and a self-locking stainless steel top. Plastic and stainless steel are easy to clean, and the sections can be flat-packed and stacked for transport.



02

VARIO CORNER

The Vario Corner is a centre-hinged corner for the Bar Barrier system. Its two halves of 0.50 m each can be set at an angle from -60° to +90°. It has no braces and no stainless steel serving surface.

03

NOT FOR CROWD CONTROL

Bar Barrier and Vario Corner are designed for serving and merchandise areas.

FEATURES — BAR BARRIER & VARIO CORNER

- 1.** Recycled LMDPE construction
- 2.** Slightly perforated floor plate to stop liquids pooling
- 3.** Flexible, durable, light and portable
- 4.** Easy transport on special pallets
- 5.** Stainless steel serving surface, hygienic and easy to clean
- 6.** Two-bolt connection to the adjoining section
- 7.** Vario Corner: two 0.50 m halves, angle from -60° to +90°, no braces, no serving surface
- 8.** Rental colour black
- 9.** Not for use as a crowd control barrier

TECHNICAL SPECS — BAR BARRIER & VARIO CORNER

	BAR BARRIER	VARIO CORNER
Material	recycled LMDPE, stainless steel braces and top	recycled LMDPE
Height	1.18 m	–
Width	1.00 m	2 × 0.50 m
Depth	1.20 m	0.10 m
Angle	–	–60° to +90°, 2 × 0.50 m
Floor plate	slightly perforated	–
Braces / serving surface	2 stainless steel braces, stainless steel top	none
Connection	two bolts	–
Finish (rental)	black	black
Use	serving areas – not for crowd control	serving areas – not for crowd control
Weight	on request	on request
Details can vary slightly between production series; your rental company will confirm the exact values.		

CERTIFICATION

INDEPENDENT TESTING

No separate certificate is available for the Bar Barrier. Certificates and test reports for the Mojo barrier range are listed on the certification page.

Mojo Barriers BV develops its barrier systems and has had them independently tested since 1996. Certification is carried out by independent bodies such as TÜV NORD.

All test documents: mojobarriers.com/certification

GET IN TOUCH

Questions about this product

For product information, certification and data sheets, contact Mojo Barriers BV in Nieuwegein, the Netherlands.

Mojo Barriers BV

Groningenhaven 18-20
3433 PE Nieuwegein
Netherlands

TEL. +31 (0)30 242 82 00
EMAIL nl@mojorental.com
WEB mojobarriers.com

TO RENT

Rent Mojo barriers in your country

The MOJO Holding Group rents out Mojo barriers through its own companies. Contact the company in your country:

UNITED STATES

MOJO Rental North America
Manheim, PA
us@mojorental.com

UNITED KINGDOM

MOJO Rental UK Limited
Borough Green, Kent
uk@mojorental.com

NETHERLANDS

MOJO Rental All Areas
Nieuwegein
nl@mojorental.com

GERMANY

MOJO Rental Germany GmbH
Pyrbaum
germany@mojorental.com

CROATIA

MOJO Rental Southeast Europe
d.o.o.
Zagreb
kontakt@mojorental.hr

AUSTRALIA

NO FUSS Event Hire / MOJO Rental
Australia
Cranbourne West, VIC
info@nofusseventhire.com.au

Other countries and all contacts:

mojobarriers.com/where-to-rent

