




MOJO BARRIERS · CORNERS

Fixed Corner 22.5°

Positive (pink), negative (white) · silver or black


MOJO BARRIERS — PRODUCT DATA SHEET

Fixed Corner 22.5°

The fixed 22.5° corner turns a barrier line in one defined step. The positive version is marked pink and the negative version white. Both are 1.20 m high and come in silver or black.

1.20 m
HEIGHT**22.5°**
FIXED ANGLE**0.33 m**
STEP HEIGHT**30 kg**
WEIGHT**01****POSITIVE CORNER (PINK)**


At a positive corner, the line turns away from the crowd, usually towards the stage. Its floor plate is 0.99–1.00 m wide at the front and 0.50 m at the back, and its upright is 0.71 m wide.



FRONT VIEW




REAR VIEW WITH STEP

IN A LINE WITH STRAIGHT
SECTIONS



02

NEGATIVE CORNER (WHITE)

At a negative corner, the line turns towards the crowd, usually away from the stage. Its floor plate is 0.51 m wide at the front and 1.00 m at the back, and its upright is 0.81 m wide. The braces are made of stainless steel.



TOP VIEWS — FIXED CORNER 22.5°



Top views from the 3D model, crowd side at the bottom, not to scale.

FEATURES — FIXED CORNER 22.5°

1. Fixed angle of 22.5°, positive or negative
2. Pink (positive) or white (negative) colour mark on the braces
3. Height of 1.20 m
4. Connection with one bolt and two pins
5. Rear step behind the upright, 0.33 m high
6. Silver or black upright, with a silver floor plate
7. Typical at catwalks and thrusts, combinable with other corners into wide, smooth curves

CERTIFICATION

INDEPENDENTLY TESTED

Lloyd's British Testing tested a positive and a negative specimen in 2011 to BS EN 13200-3:2005, report 030611-SB01, sheets 6 and 7: 5.08 kN/m. TÜV Nederland QA (TÜV NORD Group) certificate 2013-A-168-C1 of 12 December 2013 covers the 22.5° and 45° corners, positive and negative, tested at 5,000 N/m. Each document applies only to the specimens tested.

Mojo Barriers BV develops its barrier systems and has had them independently tested since 1996. Certification is carried out by independent bodies such as TÜV NORD.

All test documents: mojobarriers.com/certification

TECHNICAL SPECS — FIXED CORNER 22.5°

	POSITIVE (PINK)	NEGATIVE (WHITE)
Angle	fixed +22.5°, turns away from the crowd	fixed -22.5°, turns towards the crowd
Height	1.20 m	1.20 m
Depth	1.24 m (1.25 m at the side edge)	1.23–1.24 m (1.25 m at the side edge)
Floor plate width front / back	0.99–1.00 m / 0.50 m	0.51 m / 1.00 m
Upright width	0.71 m	0.81 m
Floor plate in front of upright (at the side edge)	0.72 m	0.72 m
Depth behind upright (at the side edge)	0.51 m	0.51 m
Step height	0.33 m	0.33 m
Weight	30 kg	30 kg
Material	aluminium	aluminium; stainless steel braces, black-coated on the black version
Finish	silver or black upright, silver floor plate	silver or black upright, silver floor plate
Colour mark	pink	white
Connection	one bolt and two pins	one bolt and two pins
Tested load	5.08 kN/m (Lloyd's 2011), 5 kN/m (TÜV 2013)	5.08 kN/m (Lloyd's 2011), 5 kN/m (TÜV 2013)
Details can vary slightly between production series; your rental company will confirm the exact values.		

GET IN TOUCH

Questions about this product

For product information, certification and data sheets, contact Mojo Barriers BV in Nieuwegein, the Netherlands.

Mojo Barriers BV

Groningenhaven 18-20
3433 PE Nieuwegein
Netherlands

TEL. +31 (0)30 242 82 00
EMAIL nl@mojorental.com
WEB mojobarriers.com

TO RENT

Rent Mojo barriers in your country

The MOJO Holding Group rents out Mojo barriers through its own companies. Contact the company in your country:

UNITED STATES

MOJO Rental North America
Manheim, PA
us@mojorental.com

UNITED KINGDOM

MOJO Rental UK Limited
Borough Green, Kent
uk@mojorental.com

NETHERLANDS

MOJO Rental All Areas
Nieuwegein
nl@mojorental.com

GERMANY

MOJO Rental Germany GmbH
Pyrbaum
germany@mojorental.com

CROATIA

MOJO Rental Southeast Europe
d.o.o.
Zagreb
kontakt@mojorental.hr

AUSTRALIA

NO FUSS Event Hire / MOJO Rental
Australia
Cranbourne West, VIC
info@nofusseventhire.com.au

Other countries and all contacts:

mojobarriers.com/where-to-rent

