



MOJO BARRIERS · SPECIAL SYSTEMS

Mojo High Fence

2.4 m security fence with see-through upper panel

MOJO BARRIERS — PRODUCT DATA SHEET

Mojo High Fence

Mojo High Fence is a reinforced, see-through security barrier. Developed to a specification from police and government officials, it is now available to security, police and major event organisers worldwide.

1 m × 2.4 m
SECTION SIZE

9.5 mm
POLYCARBONATE

14 kg
PANEL WEIGHT

2.5 km
G20 BRISBANE 2014

01

G20 BRISBANE

In July 2014 the organisers of the G20 summit in Brisbane, Australia, asked Mojo Barriers to develop a barrier solution to a specification from police and government officials. Three months later High Fence had been designed and tested, and 2.5 km of it formed restricted zones and walkways across the city.

02

HIGH FENCE

High Fence consists of 1 m wide, 2.4 m high sections of reinforced aluminium barrier with a see-through upper panel in polycarbonate, a durable and highly impact-resistant material. It is mainly available for hire as a temporary solution for closing off restricted areas and buildings, creating walkways and separating crowds. Doors and corners are also available, and kerb risers keep the line closed on uneven ground.



G20 BRISBANE 2014, ACCREDITATION ZONE

FEATURES — MOJO HIGH FENCE

1. 1 m wide, 2.4 m high reinforced aluminium barrier with a UV-resistant polycarbonate upper panel
2. Polycarbonate panel in transparent, black or white; 14 kg, 9.5 mm thick
3. Alternative plywood upper panel, 15 mm thick, with a black or white high-pressure laminate (HPL) finish
4. Smash- and vandal-resistant polycarbonate
5. Strong and durable
6. Mega Exits, gates and doors can be integrated into the line
7. Transparent panels give security staff a clear view
8. Line can cross roads and split-level pavements
9. More attractive than standard mesh construction fencing

TECHNICAL SPECS — MOJO HIGH FENCE

	HIGH FENCE
Section	1 m wide × 2.4 m high
Lower part	reinforced aluminium barrier
Polycarbonate panel	UV-resistant, 9.5 mm, 14 kg; transparent, black or white
Plywood panel	15 mm, HPL finish in black or white
Extras	doors, corners, kerb risers
Use	restricted areas, walkways, separating crowds
Details can vary slightly between production series; your rental company will confirm the exact values.	

CERTIFICATION

INDEPENDENT TESTING

No separate certificate is available for the High Fence. Certificates and test reports for the Mojo barrier range are listed on the certification page.

Mojo Barriers BV develops its barrier systems and has had them independently tested since 1996. Certification is carried out by independent bodies such as TÜV NORD.

All test documents: mojobarriers.com/certification

GET IN TOUCH

Questions about this product

For product information, certification and data sheets, contact Mojo Barriers BV in Nieuwegein, the Netherlands.

Mojo Barriers BV

Groningenhaven 18-20
3433 PE Nieuwegein
Netherlands

TEL. +31 (0)30 242 82 00
EMAIL nl@mojorental.com
WEB mojobarriers.com

TO RENT

Rent Mojo barriers in your country

The MOJO Holding Group rents out Mojo barriers through its own companies. Contact the company in your country:

UNITED STATES

MOJO Rental North America
Manheim, PA
us@mojorental.com

UNITED KINGDOM

MOJO Rental UK Limited
Borough Green, Kent
uk@mojorental.com

NETHERLANDS

MOJO Rental All Areas
Nieuwegein
nl@mojorental.com

GERMANY

MOJO Rental Germany GmbH
Pyrbaum
germany@mojorental.com

CROATIA

MOJO Rental Southeast Europe
d.o.o.
Zagreb
kontakt@mojorental.hr

AUSTRALIA

NO FUSS Event Hire / MOJO Rental
Australia
Cranbourne West, VIC
info@nofusseventhire.com.au

Other countries and all contacts:

mojobarriers.com/where-to-rent

